



winfit™

The original former, fixer and cavity closer system from Profile 22

Complies with all building regulations including Document L



A cost effective solution for new build housing

Winfit is a BBA approved cavity closer system that allows new windows to be simply clipped and then sealed in place from the outside. This versatile, cost-effective cavity closer and frame former system gives you all the flexibility of frame position and cavity widths you require on site.



Tried and tested

For over 13 years **Winfit** has been responsible for literally thousands of trouble free, cost effective window and door installations in the UK new build market. Clients including

McCarthy Stone, No.4, Charles Church, Persimmon PLC, Taylor Wimpey PLC, Crest Nicholson Ltd, Barratt Homes Ltd and Bellway Homes Ltd.



Universal appeal

Designed to work with PVC-U and timber window frames, **Winfit** can be installed in cavities as small as 50mm right through to 100mm.



Builder friendly

Winfit speeds window installations on site by typically 40% and is made to measure to drop straight into the cavity without adjustment on site. The sub frame acts as a horizontal and vertical damp proof membrane that can be used as a former as brickwork is built up, held in place with specialist brick ties and PVC-U brace and shoes for stability. Window frames can then be easily fixed in minutes from the outside once all other structural work is complete.



Build in the closer/fixer, with or without headvent



Specifier friendly

Winfit offers full compliance with building regulations including Document L. It's pioneering 98% recycled content helps future proof it against further changes in legislation.



Slide in the window from inside or outside the property. (Depending upon specification).



Installer friendly

Winfit is designed specifically to accept all typical designs of window frames. With solutions for in-check as well as standard constructed cavities, frames are simply dropped into position from the outside of the building and are then secured with jamb clips, that clip the window in place safe and secure ready for sealing.



Push window until clips are in place. The window is now secure and ready for sealing.



Fabricator Friendly


Winfit is supplied with insulation already in place so frames need only be square cut to size and then mechanically jointed with a unique cleating system.

Covering more cavity options as standard

Cavity Size	Cavity – jamb position B	Cavity – jamb in - check	Cavity - sill in - check
50mm			
65mm			
75mm			
80mm			
90mm			
100mm			

Specialist ventilation

Optional head vent ensures full compliance with Building Regulations Approved document, F1 2006 Means of Ventilation.



Unique positive location window clips

Fix to frame and clip into place, safe and secure.



Key product features

- BBA approved certificate no. 01/3827
- Window former for brick and block construction
- Quick fit window clips
- Ensures compliance with building regulations
- Head vent provides overhead ventilation to Approved Document F
- Designed for cavities 50mm to 100mm
- Easily fabricated – no specialist equipment required and mechanically jointed on site
- Acts as a horizontal and vertical DPM
- 98% recycled content
- Can be used with any PVC-U or timber window or door system

For more information
please contact us:

Profile 22 Systems

Stafford Park 6, Telford
Shropshire, TF3 3AT

T : 01952 290910

F : 01952 290460

W : www.profile22.co.uk

E : specifier@profile22.co.uk



Printed on 250gsm Take 2 offset 100% recycled and chlorine free

PROFILE 22 is an international PVC-U profile system supplied to local independent manufacturers and installers who contract to install windows, doors and conservatories. PROFILE 22 SYSTEMS cannot be held accountable for manufacture or installation by independent companies. All information in this publication is provided for guidance only and is given in good faith. As it is company policy to continually improve products, methods and materials, changes of specification may be made from time to time without prior notice. This statement does not affect your statutory rights. © PROFILE 22.

Part of the Epwin Group.